

PROTECT YOUR TREES AND CONTAINER PLANTS FROM RODENT DAMAGE!

As unbelievable as it may sound winter is fast approaching, and we want you to be ready to protect your trees and plants. Below you will find some winterizing tips that may help reduce rodent damage.

Basic Information

- Know what you are up against. If you know what type of rodent is damaging your plants it will help you to eliminate them. You can try placing non-toxic bait such as apples in problem areas and see what kind of damage is done to the bait. The rodent can be identified by the excrement that is left behind. You may also try to capture one, using a live trap or snap trap.
- Mow and clean up natural vegetation close to the greenhouse and between tree rows. This will eliminate protected areas for rodents.
- If you are winterizing some plants in a greenhouse limit access to your greenhouse. Keep the outside area clean of debris and vegetation. Repair any holes or damage to the outside structure of the greenhouse to reduce entry to the facility.

Baiting in Greenhouses

- Ramik Green and Ramik Mini Bars are the premiere product to use in greenhouses. Available in both bars and nuggets, and both are **ALL-WEATHER** baits.
FOLLOW ALL LABEL INSTRUCTIONS WITH THIS PRODUCT.
- Be sure to bait along the walls of the greenhouse; you may use place packs of bait (do not open packs!), nail chunks along wall or pallets, or put bait in tamper resistant bait stations.
- If you are using an anticoagulant, please remember to check bait every few days to ensure a constant supply to the rodents.
- Look for burrows on the outside of the greenhouse and bait these burrows as well.

Baiting Container Plants and Trees

- If you have a large rodent population, zinc phosphide is a good initial control measure to take. In ornamental and nursery stock you may apply by ground driven dispenser or hand bait.
FOLLOW ALL LABEL INSTRUCTIONS WITH THIS PRODUCT. THIS IS A RESTRICTED USE PRODUCT.
- Concentrate on treatments in areas with the heaviest vegetation cover.
- Ramik Brown, an anticoagulant may also be used in commercial nurseries and tree plantations. Ramik Brown may be applied by ground broadcast, aerial broadcast, and spot baiting.
FOLLOW ALL LABEL INSTRUCTIONS WITH THIS PRODUCT, THIS IS A RESTRICTED USE PRODUCT.

All rodenticides are potentially dangerous to non-target animals. To reduce the exposure of non-target animals please read the rodenticide label carefully and follow all instructions.

Prozap

- Labeled for use in Christmas tree, ornamental, and non-bearing fruit tree plantations, and nursery stock to control meadow, pine, and prairie vole.
- Broadcast by cyclone seeder or by hand (gloved) under infested nursery stock and/or non-bearing fruit trees. Do not broadcast on bare ground. Apply at 6-10 lbs per acre.
- You may hand bait near the base of infested stock, place teaspoonful quantities of pellets in 2-4 locations, either on surface trails or at the mouths of holes leading to underground burrow systems. Do Not apply to bare ground or disturb runway system. Bait at 2-3 lbs per acre of infested stock.
- Sold in 50 lb bags (RUP) or 12 lb pails (non-restricted use).

- Labeled for use on Christmas tree farms, commercial nurseries, and tree plantations for pine and meadow vole control.
- You may apply by ground & aerial broadcasting. For ground application use a commercially-made seeder or fertilizer spreader. Uniformly apply 20 lbs of bait per acre for pine voles and 10 lb per acre for meadow voles. Do not pile bait.
- For hand spot baiting place about 1.5 oz of bait in each active hole, trail or runway at each tree site (10 lbs per acre) Cover each placement with grass or shingle to avoid exposing nontargets.
- You may make a 2nd application 1-2 months after the first.
- Available in 50 lb box (RUP).

Ramik[®]
Brown

Ramik

- Labeled for use in and around homes, industrial and agricultural buildings, and similar man-made structures. Especially suited for use in wet or damp areas including river banks, gullies, irrigation ditches, railroad tracks, loading areas, under granaries, along fences, garbage dumps, and landfills for rats and mice.
- Maintain an uninterrupted supply of fresh bait for at least 15 days.
- Bait in areas that rats or mice will most likely find and consume the bait. Such as, along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors, walls, or in locations where rodents or their signs have been seen
- Do Not Broadcast ANY Ramik product.
- Do Not apply directly to ground surface.

When using ANY rodenticide please refer to label and follow baiting instructions carefully

Product labels and MSDS can be found at
www.neogen.com



Neogen Corporation, 944 Nandino Blvd., Lexington, KY 40511 USA • 800/621-8829 or 859/254-1221 • Fax: 800/255-1168 • www.neogen.com • e-mail: inform@neogen.com